

		1	2	3	4	5	6	7	8
6 10	100m +0.5	(3) <div><div></div><div></div><div></div><div></div></div>	(3) <div><div></div><div></div><div></div><div></div></div>	(2) <div><div></div><div></div><div></div><div></div></div> AC	(2) 12.03 AC	(2) 12.25	(3) 12.26	(2) 12.26	(2) 12.27
6 11	200m -1.7	(3) 22.96	AC (2) 24.95	(2) 25.34	(3) 25.45	(3) 25.50	AC (2) 25.68	(2) 25.78	(2) 26.04
6 10	400m	(2) 58.37	AC (2) 59.88	(3) 1:01.05	(1) <div><div></div><div></div><div></div><div></div></div>	(1) 1:15.59			
6 11	800m	(2) 2:15.96	(3) 2:18.38	(3) 2:18.87	(3) 2:18.87	(1) 2:22.60	(3) 2:23.05	(2) 2:29.55	(1) 2:30.39 AC
6 10	1500m	(3) 4:07.63 <div><div></div><div></div></div>	(2) 4:10.36 <div><div></div><div></div></div>	(3) 4:32.50	(3) 4:32.55	(2) 4:39.17	(1) 4:41.40	(2) 4:43.57	(2) 4:47.58
6 11	3000m	(2) 9:03.34	(3) 9:03.49	(3) 10:03.78	(1) 10:06.08	(3) 10:13.08	(2) 10:17.04	(2) 10:18.34	(2) 10:34.30
6 11	110mH(0.914m) -2.4	(3) <div><div></div><div></div><div></div><div></div></div>	AC (2) 20.09						
6 11	4X100mR	(2) 47.12 (2) (1) (3)	(2) 47.79 (3) (3) (2)	(2) 49.40 (2) (2) (2)	(3) 52.30 (2) (2) (3)	(3) 54.10 (2) (3) (2)			
6 11		AC (2) 1m50	(2) 1m50	(2) 1m40	(2) 1m40				
6 10		(3) 2m50	(3) <div><div></div><div></div><div></div><div></div></div>						
6 10		(3) 5m44(+2.3) 5m15(+1.9)	(3) 5m33(+1.9)	(1) 5m08(+1.0)	(3) 4m87(+0.9)	(2) 4m84(+0.9)	(1) 4m61(+1.3) AC	(1) 4m58(+0.1)	(3) 4m58(+0.1)
6 11	(5.000kg)	(2) 8m60	(3) 6m48	(1) 6m37 AC	(2) 6m28	(1) 6m05 AC	(3) 5m66	(3) 5m76	(1) 5m66
6 10 11	() 19.21(-0.3)-7m00 1m50-1:01.05	(2) 1506							
6 10	100m -0.2	(3) 12.61 <div><div></div><div></div></div>	(3) 12.66 <div><div></div><div></div></div>	(3) 12.67 <div><div></div><div></div></div>	(3) 13.19	(3) 13.24	(3) 13.43	AC (2) 13.50	(1) 13.61
6 11	200m -2.3	(3) 26.41 <div><div></div><div></div></div>	(3) 27.74	(2) 28.13 AC	(3) 28.34	(1) 28.69	(1) 28.97 RyukokuAC	(3) 29.15	(3) 29.29
6 11	800m	(3) 2:26.26	(2) 2:29.81	(2) 2:30.24 RyukokuAC	(3) 2:31.32	(2) 2:35.06	(2) 2:42.97 AC	(2) 2:43.43	(2) 2:50.47 RyukokuAC
6 10	1500m	(3) 5:02.72	(2) 5:05.32	(2) 5:09.71 RyukokuAC	(3) 5:10.71	(3) 5:12.79	(2) 5:13.19	(3) 5:14.31	(3) 5:20.52
6 11	100mH(0.762m) -2.8	(3) 15.33	(3) 16.00	(2) 17.10	(3) 17.52	(2) 17.86	(2) 19.24	(3) 20.06	
6 11	4X100mR	(1) 50.13 (3) (3) (3) <div><div></div><div></div></div>	(3) 50.49 (3) (3) (3) <div><div></div><div></div></div>	(3) 55.09 (3) (3) (3)	(2) 55.36 (3) (2) (3)	(1) 58.87 (1) (3) (1)	(1) 1:00.60 (3) (3) (3)		
6 10		(3) 1m54	(3) 1m51	(3) 1m45	(2) 1m20				
6 11		(3) 4m66(+1.4)	AC (2) 4m62(+1.9)	(3) 4m47(+3.1) 4m39(+0.7)	(3) 4m44(+2.2) 4m30(+2.0)	(2) 4m27(-0.1)	(1) 3m87(0.0) AC	(2) 3m86(+1.0)	(2) 3m72(-0.5)
6 10	(2.721kg)	(3) 9m23	(2) 8m62	(3) 8m54	(3) 8m24	(2) 7m81	(3) 7m50	(3) 7m49	(3) 6m49
6 10 11	() 17.75(+0.2)-1m25 7m05-30.52(-1.9)	(3) 1658							

76

23013706

012080

2023/06/10

2023/06/11

										/	/
1	6 10			100m		1	1	11.09	+0.5m/s	(3)	()
2	6 11			200m		1	1	22.52	0.0m/s	(3)	()
3	6 10			1500m		2	1	4:07.63		(3)	()
	6 10			1500m		2	2	4:10.36		(2)	()
5	6 10			100m		5	1	12.72	+0.2m/s	(3)	()
6	6 10			100m		1	1	12.61	-0.2m/s	(3)	()
7	6 10			100m		1	2	12.66	-0.2m/s	(3)	()
8	6 10			100m		1	3	12.67	-0.2m/s	(3)	()
9	6 11			200m		2	1	25.81	+0.3m/s	(3)	()
10	6 11			200m		1	1	26.41	-2.3m/s	(3)	()
11	6 11			4X100mR		1	1	50.13		()	(1) (3) (3) (3)
12	6 11			4X100mR		1	2	50.49		()	(3) (3) (3) (3)

100m

(GR)	11. 2	()	1999			
(DJR)	11. 01	()	2020			
(HJR)	10. 72	()	2015	6	10	12. 00
(HJR)	10. 72	()	2022	6	10	13. 30

8 0 8

1 (: -1. 1)

1	8	1093	(1)		14. 36
2	3	2011	(3)		14. 38
3	2	1409	(2)	AC	14. 56
4	9	1130	(1)		14. 78
5	5	1134	(1)		15. 49
6	4	1216	(2)		15. 55
7	7	1133	(1)		17. 20
8	6	1450	(1)	AC	19. 15

2 (: +0. 5)

1	2	1074	(2)		14. 10
2	8	1445	(1)	AC	14. 96
3	9	1132	(1)		15. 01
4	3	1226	(1)		15. 44
5	7	1449	(1)	AC	15. 48
6	5	1129	(1)		15. 54
7	6	1021	(1)		15. 68
4	1225	(1)			DNS

3 (: -1. 7)

1	7	1447	(1)	AC	13. 78
2	6	1451	(1)	AC	14. 22
3	3	1135	(1)		14. 31
4	8	1065	(3)		14. 34
5	4	1443	(1)	AC	14. 38
6	2	1453	(1)	AC	15. 19
	5	1454	(1)	AC	DNS
	9	1452	(1)	AC	DNS

4 (: -0. 9)

1	9	1441	(2)	AC	13. 84
2	8	1122	(2)		14. 18
3	6	1593	(1)		14. 25
4	3	1224	(2)		14. 35
5	2	1018	(1)		14. 48
6	5	1596	(2)		15. 28
	4	1019	(1)		DNS
	7	1010	(2)		DNS

5 (: -0. 8)

1	8	1071	(2)		12. 86
2	5	1063	(3)		13. 23
3	2	1123	(2)		13. 33
4	6	1218	(2)		13. 56
5	7	1008	(2)		13. 86
6	9	1440	(2)	AC	13. 94
7	4	1017	(1)		13. 94
8	3	1594	(1)		14. 55

6 (: -1. 2)

1	4	1223	(2)		12. 96
2	8	1061	(3)		13. 32
3	7	1444	(1)	AC	13. 37
4	2	1072	(2)		13. 55
5	1	1442	(2)	AC	13. 59
6	5	1590	(2)		13. 72
7	6	1591	(2)		13. 75
8	3	1015	(1)		13. 89
9	9	1448	(1)	AC	14. 23

7 (: -0. 3)

1	5	1121	(2)		12. 35	q
2	6	1066	(3)		12. 41	q
3	8	1438	(2)	AC	12. 51	
4	7	1219	(2)		12. 73	
5	4	1006	(2)		12. 84	
6	1	1007	(2)		12. 85	
7	3	1111	(2)		12. 88	
8	2	1124	(3)		12. 89	
9	9	1000	(3)		13. 04	

8 (: +0. 7)

1	7	1586	(3)		11. 27	q
2	5	1215	(3)		11. 98	q
3	6	1436	(2)	AC	12. 01	q
4	4	1437	(2)	AC	12. 08	q
5	1	1073	(2)		12. 38	q
6	9	1585	(2)		12. 50	q
7	2	1004	(3)		12. 71	
8	3	1003	(3)		12. 78	
9	8	1595	(1)		12. 94	

(: +0. 5)

1	5	1586	(3)		11. 09	GR
2	7	1215	(3)		11. 88	
3	6	1436	(2)	AC	11. 91	
4	4	1437	(2)	AC	12. 03	
5	8	1073	(2)		12. 25	
6	2	1066	(3)		12. 26	
7	9	1121	(2)		12. 26	
8	3	1585	(2)		12. 27	

200m

(GR)	22.9	()	1994			
(GR)	22.95	()	2017			
(DJR)	22.32	()	1994	6	11	10.25
(HJR)	21.74	()	2017	6	11	12.05

4 1 4

1							2						
(: 0.0)							(: +1.0)						
1	7	1586	(3)		22.52	GR Q	1	7	1066	(3)		24.80	Q
2	6	1585	(2)		24.86	q	2	5	1121	(2)		25.22	q
3	4	1438	(2)	AC	25.10	q	3	4	1061	(3)		27.16	
4	5	1433	(3)	AC	27.45		4	2	1017	(1)		27.65	
5	8	1018	(1)		29.12		5	8	1065	(3)		28.64	
6	3	1132	(1)		30.88		6	9	1445	(1)	AC	31.58	
7	9	1596	(2)		31.10		7	3	1134	(1)		32.58	
								6	1596	(3)			DNS

3							4						
(: 0.0)							(: - 0.2)						
1	5	1437	(2)	AC	24.99	Q	1	5	1215	(3)		25.79	Q
2	4	1073	(2)		26.03	q	2	6	1435	(2)	AC	26.82	
3	7	1006	(2)		26.33		3	7	1000	(3)		26.90	
4	3	1447	(1)	AC	28.27		4	8	1448	(1)	AC	28.73	
5	9	1218	(2)		28.40		5	3	1443	(1)	AC	29.51	
6	2	2011	(3)		29.51		6	2	1021	(1)		32.91	
	6	1072	(2)			DNS		4	1436	(2)	AC		DNS
	8	1454	(1)	AC		DNS		9	1019	(1)			DNS

					(: -1.7)
1	6	1586	(3)		22.96
2	5	1437	(2)	AC	24.95
3	8	1585	(2)		25.34
4	4	1066	(3)		25.45
5	7	1215	(3)		25.50
6	9	1438	(2)	AC	25.68
7	2	1121	(2)		25.78
8	3	1073	(2)		26.04

400m

(GR)	52.57	()	2022	
(DJR)	51.53	()	2008	
(HJR)	48.25	()	2006	6 10 13.00

1	6	1007	(2)		58.37
2	5	1435	(2)	AC	59.88
3	7	1433	(3)	AC	1:01.05
4	8	1015	(1)		1:01.10
5	9	1131	(1)		1:15.59

800m

(GR)	1: 58. 67	()	2016			
(DJR)	1: 58. 67	()	2016	6	10	10: 40
(HJR)	1: 54. 39	()	2018	6	11	11: 30

3 2 2

1

1	6	1582	(2)	2 18. 25	Q
2	4	1091	(3)	2 21. 12	Q
3	3	1112	(3)	2 22. 94	q
4	5	1075	(2)	2 31. 98	
5	7	1212	(2)	2 34. 33	
6	9	1211	(2)	2 35. 35	
7	8	1439	(2)	AC 2 41. 85	

2

1	6	1067	(3)	2 24. 99	Q
2	5	1069	(2)	2 25. 65	Q
3	3	1446	(1)	AC 2 29. 87	q
4	7	1092	(2)	2 31. 57	
5	2	1851	(1)	2 36. 63	
6	8	1014	(2)	2 43. 73	
7	9	1452	(1)	AC 2 45. 27	
4	1214	(2)			DNF

3

1	6	1064	(3)	2 20. 47	Q
2	5	1593	(1)	2 24. 21	Q
3	7	1217	(2)	2 31. 91	
4	4	1070	(2)	2 32. 36	
5	8	1083	(1)	2 33. 35	
6	3	1131	(1)	2 53. 90	
7	9	1016	(1)	2 55. 61	

1	7	1582	(2)	2 15. 96	
2	2	1112	(3)	2 18. 38	
3	6	1091	(3)	2 18. 87	
4	4	1064	(3)	2 18. 87	
5	9	1593	(1)	2 22. 60	
6	5	1067	(3)	2 23. 05	
7	8	1069	(2)	2 29. 55	
8	3	1446	(1)	AC 2 30. 39	

1500m

(GR)	4: 17. 33	()	2016	
(DJR)	4: 02. 13	()	2018	
(HJR)	3: 59. 24	()	2005	6 10 14: 10

2

1

ORD			
1	9	1091	(3)
2	5	1092	(2)
3	13	1851	(1)
4	15	1217	(2)
5	8	1446	(1) AC
6	4	1126	(3)
7	1	1067	(3)
8	6	1211	(2)
9	11	1070	(2)
10	7	1009	(2)
11	2	1014	(2)
12	10	1439	(2) AC
13	3	1075	(2)
14	12	1597	(1)
15	16	1016	(1)
14	1013	(2)	DNS

2

ORD			
1	15	1587	(3)
2	1	1581	(2)
3	11	1068	(3)
4	13	1588	(3)
5	8	1012	(2)
6	16	1063	(1)
7	5	1583	(2)
8	12	1591	(2)
9	10	1584	(2)
10	17	1434	(2) AC
11	2	1005	(3)
12	14	1062	(3)
13	3	1001	(3)
14	4	1582	(2)
15	7	1440	(2) AC
6	1069	(2)	DNS
9	1064	(3)	DNS

8

1	1587	(3)	4: 07. 63 GR
2	1581	(2)	4: 10. 36 GR
3	1068	(3)	4: 32. 50
4	1588	(3)	4: 32. 55
5	1012	(2)	4: 39. 17
6	1063	(1)	4: 41. 40
7	1583	(2)	4: 43. 57
8	1591	(2)	4: 47. 58

3000m

(GR)	8. 51. 55	()	2016	
(DJR)	8. 38. 09	()	2016	
(HJR)	8. 23. 80	()	2005	6 11 13 10

ORD				
1	1	1581	(2)	9. 03. 34
2	11	1587	(3)	9. 03. 49
3	6	1588	(3)	10. 03. 78
4	2	1063	(1)	10. 06. 08
5	5	1068	(3)	10. 13. 08
6	13	1012	(2)	10. 17. 04
7	9	1584	(2)	

110mH(0.914m)

(GR)	15. 1	()	1988		
(GR)	15. 1	()	1990		
(DJR)	14. 51	()	2018		
(HJR)	14. 11	()	2019	6	11 12 35

(: -2 4)

1	8	1213	(3)		19. 11
2	9	1441	(2)	AC	20. 09

4X100mR

(GR)	45. 19	()	2018		
(DJR)	44. 63	()	2020		
(HJR)	43. 13	()	2003	6 11	13. 55

1	47. 12	2	47. 79	3	49. 40
8		7		6	

1	1591	(2)	1	1007	(2)	1	1069	(2)
2	1585	(2)	2	1003	(3)	2	1073	(2)
3	1595	(1)	3	1004	(3)	3	1072	(2)
4	1586	(3)	4	1006	(2)	4	1071	(2)

4	52. 30	5	54. 10
9		5	

1	1124	(3)	1	1213	(3)
2	1121	(2)	2	1223	(2)
3	1123	(2)	3	1215	(3)
4	1125	(3)	4	1219	(2)

(GR) 2n00 () 1986
(DJR) 2n10 () 1986
(HJR) 2n10 () 1986

					1n40	1n45	1n50	1n55	1n58	1n61	1n64	1n67			
1	3	1442	(2)	AC		×	×	×					1n50		
2	2	1219	(2)				×	×	×				1n50		
3	4	1590	(2)			×	×						1n40		
4	1	1212	(2)		×	×	×						1n40		

(GR)3n70()2022
(DJR)4n40()2013
(HJR)4n61()2006

61010.00

					1n60	1n70	1n80	1n90	2n00	2n10	2n50	2n60			
1	2	1125	(3)									×	×	×	
2	1	1124	(3)						×	×	×				

(HJR)

7m10

()

2019

6	10	10:00
---	----	-------

[illegible]

(5. 000kg)

(GR) 11n75 () 2018
(DJR) 12n97 () 2015
(HJR) 15n23 () 2008

6 11 11: 30

					1	2	3	3	8	4	5	6			
1	9	1221	(2)		7n91	7n44	8n88	8n88	8	8n22	8n60	7n94	8n60		
2	5	1011	(3)		5n41	6n15	5n87	6n15	6	5n80	6n02	6n48	6n48		
3	1	1451	(1)	AC	6n13	5n71	6n02	6n13	5	6n37	5n83	6n11	6n37		
4	8	1589	(2)		6n07	5n71	6n28	6n28	7	6n20	6n25	5n92	6n28		
5	6	1449	(1)	AC	5n51	5n86	6n04	6n04	4	5n73	6n05	5n54	6n05		
6	4	1128	(3)		5n65	5n57	5n83	5n83	3	5n70	5n96	5n89	5n96		
7	7	1127	(3)		4n65	5n64	5n76	5n76	2	5n65	5n65	5n88	5n76		
8	2	1020	(1)		5n49	×	5n29	5n49	1	5n41	5n66	×	5n66		
9	3	1592	(1)		5n11	5n26	5n22	5n26					5n26		

()

(GR)	2373	()	2008
(DJR)	2775	()	2008
(HJR)	2775	()	2008

				110mH			400m			
1	1123			19. 21 - 0. 3	7m30	1m50	1: 01. 05	1506		
		(2)		(414)	(325)	(389)	(378)			

() 110mH(0.914m)

6 10 10.05

(:-0.3)

1 9 1123

(2)

19.21 414

() (4. 000kg)

_____ 6 10 12 30 1

					1	2	3			
1	1	1123	(2)		7m02	7m80	7m02	7m80	325	

() 400r

6 11 13 00

1 8 1123 (2) 1: 01. 05 378

100m

(GR)	12.73	()	2022		
(DJR)	11.79	()	2016	6 10	11:05
(HJR)	11.79	()	2016	6 10	13:10

7 1 1

1 (: -0.4)

1	5	1592	(3)		13.47	Q
2	7	1438	(2)	AC	13.54	q
3	6	1121	(3)		14.02	
4	3	1095	(1)		14.63	
5	2	1017	(1)		14.94	
6	4	1593	(2)		15.11	
7	8	1078	(2)		15.53	
8	9	1127	(1)		15.93	

2 (: -0.4)

1	7	1585	(3)		12.79	Q
2	4	1839	(1)	RyukokuAC	13.70	
3	5	1064	(3)		14.27	
4	6	1432	(3)	AC	14.70	
5	2	212	(1)		15.13	
6	8	1583	(1)		15.27	
7	9	1213	(2)		15.63	
8	3	1000	(3)		16.13	

3 (: -0.6)

1	4	1012	(3)		13.37	Q
2	6	1010	(3)		13.55	
3	7	1440	(2)	AC	13.82	
4	5	1433	(3)	AC	14.79	
5	3	1443	(1)	AC	15.54	
6	8	1586	(3)		15.57	
7	2	1233	(3)		16.59	
	9	1828	(1)	RyukokuAC		DNS

4 (: -1.0)

1	6	1581	(1)		13.70	Q
2	4	1582	(1)		13.83	
3	7	1076	(2)		14.14	
4	8	1019	(1)		14.48	
5	5	1587	(3)		14.49	
6	2	1076	(2)		15.81	
7	3	1214	(2)		18.26	
	9	1442	(2)	AC		DSQ FS1

5 (: +0.2)

1	5	1001	(3)		12.72	GR Q
2	6	1441	(2)	AC	13.79	
3	4	1216	(3)		14.10	
4	3	1015	(1)		14.87	
5	9	1075	(2)		14.93	
6	7	1212	(2)		15.56	
7	8	1125	(1)		16.00	
8	2	1094	(1)		16.49	

6 (: +0.8)

1	6	1006	(3)		13.33	Q
2	4	1232	(3)		13.73	
3	2	1091	(3)		13.97	
4	5	1014	(2)		14.30	
5	7	1061	(3)		14.57	
6	9	1081	(2)		15.12	
7	3	1211	(2)		15.54	
8	8	1126	(1)		15.85	

7 (: -0.2)

1	7	1591	(3)		12.79	Q
2	6	1005	(3)		13.80	
3	5	1071	(3)		14.03	
4	4	1446	(1)	AC	14.51	
5	3	1221	(1)		15.52	
6	8	1218	(2)		15.54	
7	9	1008	(3)		15.55	
8	2	1092	(1)		15.76	
	1	1435	(3)	AC		DNS

(: -0.2)

1	7	1001	(3)		12.61	GR
2	4	1591	(3)		12.66	GR
3	6	1585	(3)		12.67	GR
4	5	1006	(3)		13.19	
5	8	1592	(3)		13.24	
6	9	1012	(3)		13.43	
7	3	1438	(2)	AC	13.50	
8	2	1581	(1)		13.61	

200m

(GR)	26.47	()	2021			
(DJR)	25.52	()	2016	6	11	10:00
(HJR)	24.52	()	2018	6	11	11:55

3 2 2

1							2							
(: +1.1)							(: +0.3)							
1	4	1006	(3)		27.74	Q	1	4	1585	(3)		25.81	GR	Q
2	7	1438	(2)	AC	28.27	Q	2	9	1091	(3)		28.36		Q
3	3	1095	(1)		29.81		3	6	1071	(3)		28.52		q
4	5	1593	(2)		30.41		4	7	1839	(1)	RyukokuAC	28.59		q
5	8	1081	(2)		31.46		5	5	1587	(3)		29.62		
6	6	1583	(1)		31.83		6	8	1442	(2)	AC	30.27		
7	9	1443	(1)	AC	32.26		7	3	1124	(2)		31.35		
8	2	1127	(1)		32.31									

3	(: - 1. 6)				
1	5	1232	(3)	28.32	Q
2	7	1582	(1)	28.61	Q
3	4	1076	(2)	29.91	
4	6	1061	(3)	30.24	
5	9	1586	(3)	32.49	
6	8	1092	(1)	32.64	
7	3	1126	(1)	33.75	

					(: -2.3)
1	5	1585	(3)		26.41 GR
2	7	1006	(3)		27.74
3	4	1438	(2)	AC	28.13
4	6	1232	(3)		28.34
5	8	1582	(1)		28.69
6	2	1839	(1)	RyukokuAC	28.97
7	9	1091	(3)		29.15
8	3	1071	(3)		29.29

800m

(GR)	2: 22. 31	()	2019		
(DJR)	2: 17. 2	()	1979	6: 10	10: 15
(HJR)	2: 07. 51	()	2009	6: 11	11: 20

3 2 2

1

1	6	1594	(2)		2: 28. 76	Q
2	7	1838	(2)	RyukokuAC	2: 28. 78	Q
3	5	1213	(2)		2: 42. 06	q
4	9	1830	(2)	RyukokuAC	2: 42. 48	q
5	4	1434	(3)	AC	2: 43. 37	
6	3	1018	(1)		2: 54. 34	
7	8	1077	(2)		3: 01. 47	
	2	1020	(2)			DNS

2

1	4	1588	(3)		2: 29. 16	Q
2	6	1060	(2)		2: 37. 07	Q
3	3	1228	(1)		2: 55. 28	
4	2	1015	(1)		2: 57. 11	
5	8	1445	(1)	AC	2: 59. 31	
6	9	1004	(3)		2: 59. 64	
7	5	1065	(3)		3: 08. 39	
8	1	1080	(2)		3: 09. 80	
	7	1589	(3)			DNS

3

1	4	1007	(3)		2: 36. 12	Q
2	9	1439	(2)	AC	2: 46. 30	Q
3	5	1067	(3)		2: 50. 38	
4	8	1066	(3)		2: 50. 92	
5	2	1221	(1)		2: 53. 19	
6	3	212	(1)		2: 57. 21	
7	1	1832	(1)	RyukokuAC	3: 21. 87	
	6	1590	(3)			DNS
	7	1009	(3)			DNS

1	6	1588	(3)		2: 26. 26	
2	4	1594	(2)		2: 29. 81	
3	7	1838	(2)	RyukokuAC	2: 30. 24	
4	5	1007	(3)		2: 31. 32	
5	9	1060	(2)		2: 35. 06	
6	8	1439	(2)	AC	2: 42. 97	
7	2	1213	(2)		2: 43. 43	
8	3	1830	(2)	RyukokuAC	2: 50. 47	

1500m

(GR)	4: 38. 05	()	2019			
(DJR)	4: 32. 64	()	2019			
(HJR)	4: 26. 97	()	2019	6	10	13: 50

ORD			
1	1	1588	(3)
2	6	1060	(2)
3	8	1838	(2) RyukokuAC
4	2	1590	(3)
5	15	1007	(3)
6	17	1594	(2)
7	7	1589	(3)
8	13	1003	(3)
9	18	1439	(2) AC
10	11	1437	(2) AC
11	10	1067	(3)
12	16	1434	(3) AC
13	4	1018	(1)
14	14	1093	(1)
15	5	1004	(3)
16	9	1445	(1) AC
	3	1230	(3) DNS
	12	1009	(3) DNS

100mH (0.762m)

(GR)	14.25	()	2022			
(DJR)	14.03	()	2022	6	11	11:10
(HJR)	13.64	()	2017	6	11	12:20

2 3 2

1				(:-0.2)	2				(:-2.3)
1	5	1592	(3)	15.41	Q	1	7	1591	(3)	14.59	Q
2	7	1581	(1)	17.48	Q	2	6	1079	(2)	17.05	Q
3	4	1008	(3)	19.13	Q	3	5	1074	(3)	17.46	Q
4	8	1013	(2)	19.29	q	4	8	1075	(2)	17.95	q
	6	1073	(3)		DSQ FS1	5	9	1122	(3)	20.70	
	9	1124	(2)		DNS	4	1000	(3)		DNS	

(:-2.8)

1	6	1591	(3)	15.33
2	7	1592	(3)	16.00
3	5	1079	(2)	17.10
4	8	1074	(3)	17.52
5	3	1075	(2)	17.86
6	2	1013	(2)	19.24
7	9	1008	(3)	20.06
	4	1581	(1)	DSQ S4

4X100mR

(GR)	50.93	()	2021	
(GR)	50.93	()	2022	
(DJR)	49.38	()	2016	
(HJR)	49.10	()	2019	6 11 13.45

1	50.13	2	50.49	3	55.09
7	GR 6		GR 5		

1	1581	(1)	1	1010	(3)	1	1071	(3)
2	1592	(3)	2	1012	(3)	2	1064	(3)
3	1591	(3)	3	1006	(3)	3	1074	(3)
4	1585	(3)	4	1001	(3)	4	1061	(3)

4	55.36	5	58.87	6	1:00.60
4		8		9	

1	1212	(2)	1	1095	(1)	1	1127	(1)
2	1216	(3)	2	1092	(1)	2	1121	(3)
3	1218	(2)	3	1091	(3)	3	1123	(3)
4	1232	(3)	4	1094	(1)	4	1122	(3)

6 10 10.00

[illegible]

6 11 10:00

[illegible]

(2.721kg)

(GR)	12n67	()	2011			
(DJR)	13n92	()	2017			
(HJR)	15n23	()	2016	6	10	10:00

[illegible]

()

(GR)	2190	()	2005
(DJR)	2388	()	2016
(HJR)	2920	()	2004

				100mH			200m			
1	1074			17. 75 +0. 2	1m25	7m05	30. 52 - 1. 9	1658		
		(3)		(515)	(359)	(338)	(446)			

() 100mH(0.762m)

6 10 10.00

(:+0.2)

1 7 1074 (3) 17.75 515

() (2. 721kg)

_____ 6 11 10.00 1 _____

					1	2	3			
1	1	1074	(3)		6n63	7n05	6n43	7n05	338	

() 200r

6 11 12 50

(: - 1. 9)

1 7 1074 (3) 30 52 446